

**SYSTEMIC FUNGICIDE**

Date: June 16, 2015

Product: Propizol<sup>®</sup> EPA Reg. No. 74578-8

Use: Additional Pests for Control in Deciduous, Coniferous, and Palm Trees

State/District: FOR USE & DISTRIBUTION IN THE STATE OF TEXAS ONLY

**APPLICATION IN TREES**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in his/her possession at the time of use.

This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

**DIRECTIONS FOR INJECTION USE****For fungi infecting vascular tree tissues causing wilt and tree dieback such as:**

Laurel wilt (*Raffaelea spp.*)

Thousand Canker Disease (*Geosmithia morbida*)

Fusarium Dieback of trees including Western Sycamore (*Fusarium euwallaceae*)

Blue Stain Disease (*Grosmannia clavigera*, *Leptographium longiclavatum*)

Fusarium Wilt of Canary Date Palms (*Fusarium oxysporum f. sp. canariensis*)

Fusarium Wilt of Queen Palms (*Fusarium oxysporum f. sp. palmarum*)

Ganoderma Butt Rot of Palms (*Ganoderma zonatum*)

Oak Dieback (*Diplodia corticola*)

**For leaf, bud, branch and stem fungi such as:**

Phomopsis Canker and indirect needle cast of spruce (*Phomopsis occulta*)

Oak Anthracnose (*Apiognomonina spp.*)

Sycamore Anthracnose (*Apiognomonina veneta*)

Use 6-10 ml of this product in up to 1 liter of water per inch DBH. For very high disease pressure, use 20 ml of this product per inch DBH. Make applications when the trees are in full leaf and actively growing for control of the next season's disease development.

Propizol<sup>®</sup> is a trademark of Arborjet, Inc. © 2015 Arborjet

2(ee) Registrant:  
Arborjet, Inc.  
99 Blueberry Hill Rd.  
Woburn, MA 01801

Expiration Date: November 16, 2019 Label Code: